

PROIETTA^{COM}



ARCHILED RGBW

BEAM ANGLE: 10° / 20° / 30° / 40°




🇬🇧 Architectural LED projectors RGBW with more than 16 millions of color combinations mixed together. Thanks to the master / slave function you can combine the color variations simultaneously. Ideal for architectural projections.

BEAM ANGLE: 10° / 20° / 30° / 40°

🇮🇹 Proiettori a LED architettureali RGBW con oltre 16 milioni di combinazioni colori miscelabili tra loro. Grazie alla funzione Master/Slave è possibile combinare le variazioni cromatiche in maniera simultanea tra più led della stessa famiglia. Un prodotto di forte impatto ideale per proiezioni architettureali.

ANGOLO DI APERTURA DEL FASCIO:
10° / 20° / 30° / 40°





TECHNICAL DATA:

Input Voltage: AC 100-240 V (47-63 Hz)

Power: 200 W max (R: 100%, G: 100%, B: 100%, W: 100%)

Source: 12 LED RGBW 4-in-1

Available angles: 45°

Colors: 16.700.000

LED lifetime: 30.000 h

Weight: 7 kg

Waterproof rating: IP66

Controls: 4 buttons menu (4 digits display); DMX512; Master/Slave

Minimum ambient temperature: -25 °C

Maximum ambient temperature: 45 °C

Weight: 7kg

MAXIMUM DIAMETER OF THE LARGEST CONNECTORS

